

# AUTOGAR




ADDITIVES, TREATMENTS, CARE AND CLEANING

[www.alvagargrupo.com](http://www.alvagargrupo.com)



## COMPANY

### ON VANGUARD FOR THE AUTOMOTION CHEMISTRY



### **"SPIRIT OF EVOLUTION"**

The ALVAGAR GRUPO with its AUTOGAR® brand has been dedicated for more than 30 years to the manufacture, packaging and sale of vanguard chemicals for the automotive sector nationally and internationally.

We have our own R & D & I department that offers effective solutions to every requests from our partners and clients, forging a close relationship with them.

Our laboratory is in continuous development, offering new solutions and products that improve performance and extend the useful life of any vehicle. Also guaranteeing a modern packaging system and the adaptation for our products, always complying with rigorous environmental and quality commitments.

Our professional experience, the great technological effort and the dynamism of our entire team, has made possible in recent years the expansion and consolidation of our company internationally.

### QUALITY POLICY AND CERTIFICATES

ALVAGAR GRUPO is accredited with the ISO 9001-2015 and ISO 14001-2015 regulations.

Our products comply with all quality control processes, with the sole purpose of providing confidence and solutions to all our customers.



### EU MANUFACTURING

AUTOGAR® products are manufactured in Spain and comply with all the quality and safety certificates established by EU regulations.




# TMF 2000® TREATMENT, PATENTED PRODUCT

## HIGH PERFORMANCE TREATMENT FOR GREASING AND LUBRICATION IN ALL TYPES OF VEHICLES

TMF 2000® is our star product. It is a friction modifying treatment, active on the surface, its molecules are associated to metal surfaces through their polar terminations, improving the friction coefficient and the efficiency of the lubricant.

Its metallophilic polar head and oleophilic tail guarantee its effect in in areas of extreme friction.



## INTA CERTIFICATED



Instituto  
Nacional  
de Técnica  
Aeroespacial

In addition, it is certified by the National Institute of Aerospace Technology (INTA) – Ministry of Defense of Spain. According to A.S.T.M. tests: D 2783-21 and D 2266-23.

## OUR CLIENTS CHOOSE TMF 2000® FOR:

- Reduces fuel consumption (between 4-7%)
- Reduces wear (more than 70%)
- Reduces internal temperature (up to 30%)
- Optimize energy consumption
- Reduces friction between metal parts
- Extends the lifetime of the motor (tripling its useful life)





# ADDITIVES AND TREATMENTS



## LUBRICATION SYSTEM

| NAME                                                                                                                                                                                                                                                                        | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                  | FORMAT                                                                                                                                                                        |      |        |       |             |       |         |       |         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-------|-------------|-------|---------|-------|---------|
|  <div><b>ANTI-FRICTION<br/>ENGINE TREATMENT</b><br/><br/><b>AG TMF 2000 G</b><br/></div>                   | <ul style="list-style-type: none"><li>- Reduces fuel consumption (between 4% - 7%).</li><li>- Metallic treatment and conditioner.</li><li>- Anti-friction treatment for the engine.</li><li>- Reduces engine wear by up to 70%.</li><li>- Improves internal lubrication.</li><li>- Reduces internal temperature.</li><li>- Enhances compression and increases power.</li><li>- Lasts between 80,000 and 100,000 km or 1,500 - 2,000 working hours.</li></ul> | <table><tr><th>Ref.</th><th>Format</th></tr><tr><td>12000</td><td>12 x 250 ml</td></tr><tr><td>12001</td><td>6 x 1 L</td></tr><tr><td>12002</td><td>4 x 5 L</td></tr></table> | Ref. | Format | 12000 | 12 x 250 ml | 12001 | 6 x 1 L | 12002 | 4 x 5 L |
| Ref.                                                                                                                                                                                                                                                                        | Format                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12000                                                                                                                                                                                                                                                                       | 12 x 250 ml                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12001                                                                                                                                                                                                                                                                       | 6 x 1 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12002                                                                                                                                                                                                                                                                       | 4 x 5 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
|  <div><b>ANTI-FRICTION<br/>MANUAL<br/>TRANSMISSIONS</b><br/><br/><b>AG TMF 2000 TM G</b><br/></div>     | <ul style="list-style-type: none"><li>- Treatment and metallic conditioner.</li><li>- Anti-friction treatment for manual gearboxes.</li><li>- It reduces friction and wear on gears up to 70%.</li><li>- It guarantees the best response and synchronization in all gear changes.</li><li>- It is capable of withstanding extreme loads and high pressures.</li><li>- It reduces the working oil temperature.</li></ul>                                      | <table><tr><th>Ref.</th><th>Format</th></tr><tr><td>12131</td><td>12 x 250 ml</td></tr><tr><td>12132</td><td>6 x 1 L</td></tr><tr><td>12133</td><td>4 x 5 L</td></tr></table> | Ref. | Format | 12131 | 12 x 250 ml | 12132 | 6 x 1 L | 12133 | 4 x 5 L |
| Ref.                                                                                                                                                                                                                                                                        | Format                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12131                                                                                                                                                                                                                                                                       | 12 x 250 ml                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12132                                                                                                                                                                                                                                                                       | 6 x 1 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12133                                                                                                                                                                                                                                                                       | 4 x 5 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
|  <div><b>ANTI-FRICTION<br/>AUTOMATIC<br/>TRANSMISSIONS</b><br/><br/><b>AG TMF 2000 TA G</b><br/></div> | <ul style="list-style-type: none"><li>- Anti-friction treatment for automatic gearboxes.</li><li>- It reduces friction and internal wear up to 70%.</li><li>- It is compatible with any type of oil for automatic changes.</li></ul>                                                                                                                                                                                                                         | <table><tr><th>Ref.</th><th>Format</th></tr><tr><td>12135</td><td>12 x 250 ml</td></tr><tr><td>12136</td><td>6 x 1 L</td></tr><tr><td>12137</td><td>4 x 5 L</td></tr></table> | Ref. | Format | 12135 | 12 x 250 ml | 12136 | 6 x 1 L | 12137 | 4 x 5 L |
| Ref.                                                                                                                                                                                                                                                                        | Format                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12135                                                                                                                                                                                                                                                                       | 12 x 250 ml                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12136                                                                                                                                                                                                                                                                       | 6 x 1 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12137                                                                                                                                                                                                                                                                       | 4 x 5 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
|  <div><b>OIL STOP<br/>LEAKS</b><br/><br/><b>AG 2006 G</b><br/></div>                                   | <ul style="list-style-type: none"><li>- High efficiency additive to eliminate small oil leaks.</li><li>- It rejuvenates old gaskets and seals that have hardened.</li><li>- It does not clog oil filters and ducts.</li><li>- It is compatible with all types of existing oils in the market.</li><li>- It has an excellent lubricating power.</li></ul>                                                                                                     | <table><tr><th>Ref.</th><th>Format</th></tr><tr><td>12006</td><td>12 x 250 ml</td></tr><tr><td>12007</td><td>6 x 1 L</td></tr><tr><td>12008</td><td>4 x 5 L</td></tr></table> | Ref. | Format | 12006 | 12 x 250 ml | 12007 | 6 x 1 L | 12008 | 4 x 5 L |
| Ref.                                                                                                                                                                                                                                                                        | Format                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12006                                                                                                                                                                                                                                                                       | 12 x 250 ml                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12007                                                                                                                                                                                                                                                                       | 6 x 1 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |
| 12008                                                                                                                                                                                                                                                                       | 4 x 5 L                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                               |      |        |       |             |       |         |       |         |

## LUBRICATION SYSTEM

| NAME                                                                               |                                       | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                          | FORMAT |             |
|------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|    | <b>INTERNAL ENGINES CLEANER</b>       | <ul style="list-style-type: none"> <li>- Detergent base additive for internal engines cleaning (diesel and petrol).</li> <li>- It removes sludge, varnish and dirt accumulated in the internal parts of the engine.</li> <li>- It contains extreme pressure lubricant additives.</li> <li>- It keeps the engine clean because it prolongs the oil life.</li> <li>- It has an excellent behavior with automatic gearboxes.</li> </ul> | Ref.   | Format      |
|                                                                                    | <b>AG 2007 G</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12013  | 12 x 250 ml |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12014  | 6 x 1 L     |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12015  | 4 x 5 L     |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |             |
|   | <b>ANTI-SMOKE FOR OIL</b>             | <ul style="list-style-type: none"> <li>- Anti-smoke treatment for oil.</li> <li>- It reduces exhaust emissions and fumes.</li> <li>- It stabilizes oil viscosity in front of the temperature.</li> <li>- It improves compression inside the engine.</li> <li>- It reduce excessive oil consumption.</li> </ul>                                                                                                                       | Ref.   | Format      |
|                                                                                    | <b>AG 2009 G</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12150  | 12 x 250 ml |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12151  | 6 x 1 L     |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |             |
|  | <b>HYDRAULIC STEERING CONDITIONER</b> | <ul style="list-style-type: none"> <li>- Conditioner treatment of hydraulic steering.</li> <li>- It revitalizes all the system's plastic parts: seals, oil seals, etc., removing small leaks.</li> <li>- It decreases noises and whistles in the steering system.</li> <li>- It avoids internal wear.</li> </ul>                                                                                                                     | Ref.   | Format      |
|                                                                                    | <b>AG 2010 G</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12148  | 12 x 250 ml |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12149  | 6 x 1 L     |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |             |
|  | <b>HYDRAULIC VALVES TREATMENT</b>     | <ul style="list-style-type: none"> <li>- High performance treatment for hydraulic valves.</li> <li>- It optimizes the pressure of the hydraulic plugs.</li> <li>- It reduces noise and tapping of valves.</li> <li>- It release the hydraulic plugs that have stuck.</li> </ul>                                                                                                                                                      | Ref.   | Format      |
|                                                                                    | <b>AG 2011 G</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12152  | 12 x 250 ml |
|                                                                                    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12153  | 6 x 1 L     |

## LUBRICATION SYSTEM

| NAME                                                                                                                                                                           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                              | FORMAT                                                                                                                                  |      |        |       |             |       |          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------|--------|-------|-------------|-------|----------|
|  <p><b>MULTIPURPOSE GREASE WITH ANTI-FRICTION TREATMENT</b></p> <p><b>AG TMF 2000 GRSC</b></p> | <ul style="list-style-type: none"><li>- Very high performance lubricating grease.</li><li>- Our TMF 2000® (antifriction treatment) is incorporated into its formulation.</li><li>- It has a good behavior with high temperatures.</li><li>- It has excellent resistance to loads and vibrations.</li><li>- It is ideal for all types of bearings in heavy vehicles, agricultural machinery, public works, etc.</li></ul> | <table><tr><th>Ref.</th><th>Format</th></tr><tr><td>12276</td><td>25 x 400 gr</td></tr><tr><td>12277</td><td>1 x 5 Kg</td></tr></table> | Ref. | Format | 12276 | 25 x 400 gr | 12277 | 1 x 5 Kg |
| Ref.                                                                                                                                                                           | Format                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                         |      |        |       |             |       |          |
| 12276                                                                                                                                                                          | 25 x 400 gr                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                         |      |        |       |             |       |          |
| 12277                                                                                                                                                                          | 1 x 5 Kg                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                         |      |        |       |             |       |          |



## INJECTION COMBUSTION SYSTEM

### NAME

### DESCRIPTION

### FORMAT




#### STOP SMOKE DIESEL TREATMENT

**AG 2050 G**



- Optimal treatment to prepare diesel vehicles for being inspected.
- Fuel's water is substantially removed.
- It reduces black smokes and exhaust emissions caused by bad combustion.
- It is an excellent lubricant protection for all the system.

| Ref.  | Format      |
|-------|-------------|
| 12201 | 12 x 250 ml |
| 12027 | 12 x 400 ml |
| 12082 | 6 x 1 L     |




#### STOP SMOKE GASOLINE TREATMENT

**AG 2051 G**



- Optimal treatment to prepare petrol vehicles for being inspected.
- Petrol's water is substantially removed.
- It reduces smokes and exhaust emissions caused by bad combustion.
- It is an excellent lubricant protection for all the system.

| Ref.  | Format      |
|-------|-------------|
| 12200 | 12 x 250 ml |
| 12040 | 12 x 400 ml |
| 12041 | 6 x 1 L     |




#### DIESEL INJECTOR CLEANER

**AG 2052 G**



- High performance additive for cleaning injectors in diesel cars.
- Removes carbon and lacquer deposits from injectors.
- Improves combustion and engine performance.
- It emulsifies water with fuel.
- It reduces exhaust emissions.
- It is an excellent lubricant protection.

| Ref.  | Format      |
|-------|-------------|
| 12178 | 12 x 250 ml |
| 12045 | 12 x 400 ml |
| 12046 | 6 x 1 L     |



#### GASOLINE INJECTORS CLEANER

**AG 2053 G**



- High performance additive for cleaning injectors in petrol cars.
- It eliminates deposits and varnishes from injectors improving the combustion and engine performance.
- It emulsifies water with fuel.
- It reduces exhaust emissions.
- It is an excellent lubricant protection.

| Ref.  | Format      |
|-------|-------------|
| 12192 | 12 x 250 ml |
| 12083 | 12 x 400 ml |
| 12084 | 6 x 1 L     |

## INJECTION COMBUSTION SYSTEM

|                                                                                     | NAME                                                                                      | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                          | FORMAT |             |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|     | <b>DIESEL<br/>CETANE BOOSTER</b><br><br><b>AG 2054 G</b>                                  | <ul style="list-style-type: none"> <li>- Additive Cetane index booster and diesel enhancer.</li> <li>- It improves the combustion of diesel.</li> <li>- It reduces knocking, noise and misfires.</li> <li>- It gets the vehicle works much smoother and quieter.</li> <li>- It reduces fuel consumption.</li> <li>- It has an excellent lubricating power.</li> </ul>                                                                | Ref.   | Format      |
|                                                                                     |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12167  | 12 x 250 ml |
|                                                                                     |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12139  | 6 x 1 L     |
|    |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |             |
|   | <b>PETROL<br/>OCTANE BOOSTER</b><br><br><b>AG 2055 G</b>                                  | <ul style="list-style-type: none"> <li>- Additive Octane index booster and petrol enhancer.</li> <li>- It improves engine power and dynamics.</li> <li>- It a excellent lubricating power, formulated with TMF 2000® friction modifier.</li> <li>- It eliminates knocking and external noises.</li> <li>- It reduces fuel consumption.</li> </ul>                                                                                    | Ref.   | Format      |
|                                                                                     |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12245  | 12 x 250 ml |
|  |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |             |
|   | <b>PREVENTIVE<br/>CLEANING<br/>FOR THE<br/>PARTICULATE FILTER</b><br><br><b>AG 2056 G</b> | <ul style="list-style-type: none"> <li>- Preventive treatment for cleaning particulate filter (DPF - FAP).</li> <li>- It reduces the combustion temperature of diesel oil, facilitating a better elimination of particles that remain in the filter without burning.</li> <li>- It optimize power loss.</li> <li>- It is compatible with all types of engines and fuel.</li> <li>- It has an excellent lubricating power.</li> </ul> | Ref.   | Format      |
|                                                                                     |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12161  | 12 x 250 ml |
|                                                                                     |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12089  | 6 x 1 L     |
|  |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |             |
|   | <b>CATALYSTS<br/>CLEANER</b><br><br><b>AG 2057 G</b>                                      | <ul style="list-style-type: none"> <li>- Additive for cleaning catalysts in petrol and hybrids engines.</li> <li>- It eliminates oil and carbon deposits without burning.</li> <li>- It optimize the air-fuel ratio.</li> <li>- It improves fuel efficiency.</li> <li>- It has an excellent lubricating power.</li> </ul>                                                                                                            | Ref.   | Format      |
|                                                                                     |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12146  | 12 x 250 ml |
|                                                                                     |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | 12147  | 6 x 1 L     |
|  |                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |             |

## INJECTION COMBUSTION SYSTEM

| NAME                                                                                |                                                                                                                                                                | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                         | FORMAT         |                         |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------|
|     | <b>INJECTION CLEANING IN VEHICLES WITH GLP OR GNC</b><br><b>AG 2058 G</b><br> | <ul style="list-style-type: none"> <li>- High efficiency additive for cleaning injection in vehicles converted to LPG or CNG (diesel or petrol).</li> <li>- It reduces harmful emissions.</li> <li>- It has an excellent lubricating power.</li> </ul>                                                                                                              | Ref.           | Format                  |
|                                                                                     |                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                     | 12145          | 12 x 250 ml             |
|   | <b>ANTI-BACTERIAL FOR DIESEL</b><br><b>AG 2059 G</b>                                                                                                           | <ul style="list-style-type: none"> <li>- Biocidal treatment for all types of diesel fuel (diesel A, B and C, fuel oil, biodiesel...).</li> <li>- All types of microbial contamination generated at the interface "Gas-oil-Water" inside any deposit is eliminated in 36 hours as a maximum.</li> <li>- Low toxicity and high biodegradability treatment.</li> </ul> | Ref.           | Format                  |
|                                                                                     |                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                     | 12020<br>12021 | 6 x 1 L<br>4 x 5 L      |
|  | <b>FUEL ANTIFREEZE</b><br><b>AG 2060 G</b>                                                                                                                     | <ul style="list-style-type: none"> <li>- Antifreeze additive for diesel fuel.</li> <li>- It lowers the diesel freezing point.</li> <li>- It delays the appearance of paraffin crystals avoiding the sealing of filters.</li> <li>- It guarantees the correct work of the engine at low temperatures.</li> </ul>                                                     | Ref.           | Format                  |
|                                                                                     |                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                     | 12050<br>12051 | 6 x 1 L<br>4 x 5 L      |
|   | <b>ANTI-CRYSTALLIZATION ADDITIVE FOR AD BLUE</b><br><b>AG 2105 G</b>                                                                                           | <ul style="list-style-type: none"> <li>- Additive formulated to enhance and optimize the performance of the Ad Blue® system.</li> <li>- It prevents the formation of crystals and blockages in the Ad Blue® injectors and SCR system.</li> <li>- Radically improves the properties of Ad Blue®.</li> <li>- Reduces NOX (nitrogen oxide) emissions.</li> </ul>       | Ref.           | Format                  |
|                                                                                     |                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                     | 12260<br>12261 | 16 x 250 ml<br>12 x 1 L |

## ADMISSION SYSTEM

### NAME

### DESCRIPTION

### FORMAT



#### DIRECT CLEANER FOR DPF-FAP

**AG 2101 G**

- Vigorous cleaning treatment of the diesel particulate filter (DPF - FAP).
- Direct and economical filter cleaning.
- It is compatible with all filter metal parts.
- We recommend using our Power - Spray applicator.

| Ref. | Format |
|------|--------|
|------|--------|

|       |          |
|-------|----------|
| 12077 | 12 x 1 L |
| 12078 | 4 x 5 L  |



#### NEUTRALIZER FOR DPF-FAP

**AG 2102 G**

- Special treatment for rinsing after cleaning with the AG 2101 G.
- It clarifies and neutralizes the alkalinity generated with cleaning.
- It avoids any type of oxidation inside the filter.
- We recommend using our Power - Spray applicator.

| Ref. | Format |
|------|--------|
|------|--------|

|       |          |
|-------|----------|
| 12163 | 12 x 1 L |
| 12166 | 4 x 5 L  |




#### DIRECT CLEANER FOR DPF-FAP AND CATALYST

**AG 2106 S**

- Cleans and decongests the DPF-FAP without disassembly.
- Formulated with active agents with very high degreasing and decarbonizing power.
- Removes all types of soot, ash, and carbon deposits accumulated on the catalytic converters.
- Prevents power losses due to dirt buildup.

| Ref. | Format |
|------|--------|
|------|--------|

|        |             |
|--------|-------------|
| 12301A | 12 x 500 ml |
|--------|-------------|




#### DPF-FAP CLEANING APPLICATOR SPRAY

**AG 9000 POWER SPRAY**

- Pneumatic applicator for cleaning and subsequent rinsing
- of the particulate filter (DPF-FAP).

| Ref. | Format |
|------|--------|
|------|--------|

|       |          |
|-------|----------|
| 12125 | 1 unidad |
|-------|----------|



REFRIGERATION SYSTEM

NAME DESCRIPTION FORMAT



ANTI-LEAK FOR RADIATORS

AG 2150 G

- Anti-leak treatment for radiators.
- It contains polymers and metallic substances in suspension to seal any pore inside the circuit.
- It acts quickly 5 - 10 minutes.
- It is compatible with all types of refrigerants.

| Ref.  | Format      |
|-------|-------------|
| 12162 | 12 x 250 ml |
| 12025 | 12 x 400 ml |
| 12026 | 6 x 1 L     |



RADIATOR CLEANER

AG 2152 G

- Internal cleaning additive in all types of radiators.
- The remains of oil and greases mixed with coolant are dissolved rapidly.
- Possible rust and lime scale inside the circuit are removed effectively.
- It improves coolant circulation and temperature transmission.

| Ref.  | Format      |
|-------|-------------|
| 12171 | 12 x 400 ml |
| 12112 | 12 x 1 L    |



## TECHNICAL AEROSOLS

| NAME                                                                             |                                                             | DESCRIPTION                                                                                                                                                                                                                                                                                | FORMAT |             |
|----------------------------------------------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|  | <b>MULTI-LUBRICANT<br/>WITH ANTI-FRICTION<br/>TREATMENT</b> | <ul style="list-style-type: none"><li>- Multi-application high performance lubricant spray formulated with TMF 2000®.</li><li>- Anti-friction treatment</li><li>- Unlocking and super penetrating agent.</li><li>- It has an excellent antioxidant and moisture softening power.</li></ul> | Ref.   | Format      |
|                                                                                  | <b>AG TMF 2000 S</b>                                        |                                                                                                                                                                                                                                                                                            | 12278  | 12 x 200 ml |
|                                                                                  |                                                             |                                                                                                                                                                                                                                                                                            | 12064  | 12 x 400 ml |

| NAME                                                                              | DESCRIPTION                                                                                                                                                                                                                                                                                                                            | FORMAT                                                                                          |      |        |       |             |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------|--------|-------|-------------|
|  | <p><b>VARIABLE GEOMETRY<br/>TURBO CLEANER</b></p> <p><b>AG 2103 S</b></p> <ul style="list-style-type: none"><li>- Decarbonising foam cleaner in spray to remove carbonaceous deposits inside the turbo.</li><li>- It is ideal for cleaning turbos of variable geometry.</li><li>- It is valid for petrol and diesel engines.</li></ul> | <table><tr><th>Ref.</th><th>Format</th></tr><tr><td>12056</td><td>12 x 400 ml</td></tr></table> | Ref. | Format | 12056 | 12 x 400 ml |
| Ref.                                                                              | Format                                                                                                                                                                                                                                                                                                                                 |                                                                                                 |      |        |       |             |
| 12056                                                                             | 12 x 400 ml                                                                                                                                                                                                                                                                                                                            |                                                                                                 |      |        |       |             |

|  | <p><b>INTAKE SYSTEM<br/>CLEANER<br/>(EGR VALVE)</b></p> <p><b>AG 2104 S</b></p> <ul style="list-style-type: none"><li>- High efficiency spray for cleaning EGR valve, through the intake.</li><li>- it Improves valves tightness</li><li>- It optimizes engine performance.</li></ul> | <table><tr><th>Ref.</th><th>Format</th></tr><tr><td>12121</td><td>12 x 500 ml</td></tr></table> | Ref. | Format | 12121 | 12 x 500 ml |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------|--------|-------|-------------|
| Ref.                                                                               | Format                                                                                                                                                                                                                                                                                |                                                                                                 |      |        |       |             |
| 12121                                                                              | 12 x 500 ml                                                                                                                                                                                                                                                                           |                                                                                                 |      |        |       |             |
|                                                                                    |                                                                                                                                                                                                                                                                                       |                                                                                                 |      |        |       |             |

| NAME                                                                                |                                                 | DESCRIPTION                                                                                                                                                                                                                                      | FORMAT |             |
|-------------------------------------------------------------------------------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|  | <b>CHEMICAL<br/>EXTRACTOR<br/>FOR INJECTORS</b> | <ul style="list-style-type: none"><li>- Spray developed to facilitate the disassembly of injectors.</li><li>- It works by softening all the waste that are generated and deposited around the injectors, especially in diesel engines.</li></ul> | Ref.   | Format      |
|                                                                                     | <b>AG 2065 S</b>                                |                                                                                                                                                                                                                                                  | 12055  | 12 x 400 ml |
|                                                                                     |                                                 |                                                                                                                                                                                                                                                  |        |             |

## TECHNICAL AEROSOLS

| NAME                                                                             | DESCRIPTION                                                                                                                                           | FORMAT                                  |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
|  | <b>MULTIPURPOSE GREASE WITH PTFE</b><br><br><b>AG 2012 S</b><br><br> | <div>Ref.</div> <div>Format</div>       |
|                                                                                  |                                                                                                                                                       | <div>12154</div> <div>12 x 400 ml</div> |

- Multi-purpose synthetic grease spray with PTFE.
- It has excellent penetration
- It does not come off or drip.
- It has good behavior with high temperatures.
- It prevents rust and corrosion.
- It has optimum behavior in contact with fresh or salt water.

|                                                                                    |                                                             |                                         |
|------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------------------------------|
|  | <b>GREASE FOR BATTERY TERMINALS</b><br><br><b>AG 2013 S</b> | <div>Ref.</div> <div>Format</div>       |
|                                                                                    |                                                             | <div>12060</div> <div>12 x 300 ml</div> |

- Grease spray for battery terminals.
- It has excellent thermal and dielectric protection.
- It has heat, corrosion and acid resistant film.
- It prevents voltage losses in electrical connections.

| NAME                                                                               | DESCRIPTION                                                     | FORMAT                                  |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------------------------------------|
|  | <b>AIR CONDITIONING CIRCUIT CLEANER</b><br><br><b>AG 2200 S</b> | <div>Ref.</div> <div>Format</div>       |
|                                                                                    |                                                                 | <div>12067</div> <div>12 x 400 ml</div> |

- Foam spray to clean and sanitizing ducts.
- It combats bad odors effectively.
- It is especially recommended in cases of allergies.
- It prevents the formation of fungi and bacteria in ducts.

|                                                                                     |                                              |                                         |
|-------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------------------|
|  | <b>CAR SANITIZER</b><br><br><b>AG 2201 S</b> | <div>Ref.</div> <div>Format</div>       |
|                                                                                     |                                              | <div>12066</div> <div>12 x 200 ml</div> |

- Total discharge spray for cleaning and sanitizing cabins.
- It eliminates all kind of bad smells like sweat, tobacco, microorganisms, etc.



# CARE AND CLEANING



## GENERIC CLEANERS

| NAME                                                                                |                                                                                     | DESCRIPTION                                                                                                                                                                                                                                                                                                                               | FORMAT |             |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|    | <b>CAR DEGREASER</b>                                                                | <ul style="list-style-type: none"> <li>- High performance concentrated degreaser.</li> <li>- Ideal for exterior cleaning of very dirty engines and bodies before pressure washing.</li> <li>- It admits dilutions up to 1 - 5 parts of water.</li> <li>- It does not contain acids or solvents.</li> <li>- 100% biodegradable.</li> </ul> | Ref.   | Format      |
|                                                                                     | <b>AG 2250 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                           | 12211  | 12 x 750 ml |
|                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                           | 12212  | 4 x 5 L     |
|                                                                                     |    |                                                                                                                                                                                                                                                                                                                                           |        |             |
|   | <b>WHEEL TYRES CLEANER</b>                                                          | <ul style="list-style-type: none"> <li>- Super cleaner for all types of tyres.</li> <li>- It cleans, degreases and polishes removing all embedded black dirt.</li> <li>- 100% biodegradable.</li> </ul>                                                                                                                                   | Ref.   | Format      |
|                                                                                     | <b>AG 2251 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                           | 12214  | 12 x 750 ml |
|                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                           | 12215  | 4 x 5 L     |
|                                                                                     |  |                                                                                                                                                                                                                                                                                                                                           |        |             |
|  | <b>DASHBOARD CLEANER</b>                                                            | <ul style="list-style-type: none"> <li>- Rinse aid cleaner dashboard and all types of plastic surfaces inside the vehicle.</li> <li>- It has been formulated with natural waxes.</li> <li>- Silicone free.</li> <li>- Pleasantly scented.</li> <li>- 100% biodegradable.</li> </ul>                                                       | Ref.   | Format      |
|                                                                                     | <b>AG 2252 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                           | 12217  | 12 x 750 ml |
|                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                           | 12218  | 4 x 5 L     |
|                                                                                     |  |                                                                                                                                                                                                                                                                                                                                           |        |             |
|  | <b>TYRES PROTECTOR</b>                                                              | <ul style="list-style-type: none"> <li>- Special brightener and protector for all types of plastics and rubber.</li> <li>- All treated parts recover the original color.</li> <li>- Formulated with natural waxes.</li> <li>- Silicone free.</li> <li>- 100% biodegradable.</li> </ul>                                                    | Ref.   | Format      |
|                                                                                     | <b>AG 2253 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                           | 12220  | 12 x 750 ml |
|                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                           | 12221  | 4 x 5 L     |
|                                                                                     |  |                                                                                                                                                                                                                                                                                                                                           |        |             |

## GENERIC CLEANERS

| NAME                                                                                |                                                                                     | DESCRIPTION                                                                                                                                                                                                                                                                                                                                          | FORMAT |             |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|    | <b>TEXTILE CLEANER</b>                                                              | <ul style="list-style-type: none"><li>- Energetic degreaser cleaner for upholstery, carpets and all types of interior fabrics.</li><li>- Pleasantly scented.</li><li>- 100% biodegradable.</li></ul>                                                                                                                                                 | Ref.   | Format      |
|                                                                                     | <b>AG 2254 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                                      | 12223  | 12 x 750 ml |
|                                                                                     |    |                                                                                                                                                                                                                                                                                                                                                      | 12224  | 4 x 5 L     |
|   | <b>CONCENTRATED SHAMPOO WITH WAX</b>                                                | <ul style="list-style-type: none"><li>- Super concentrated shampoo for exterior cleaning of vehicles.</li><li>- It contains natural waxes and brighteners that rekindle body colors.</li><li>- Pleasantly scented manual cleaning.</li><li>- 100% biodegradable.</li></ul>                                                                           | Ref.   | Format      |
|                                                                                     | <b>AG 2255 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                                      | 12236  | 12 x 1 L    |
|                                                                                     |   |                                                                                                                                                                                                                                                                                                                                                      | 12237  | 4 x 5 L     |
|  | <b>DRY CLEANER</b>                                                                  | <ul style="list-style-type: none"><li>- Super dry and brightener body cleaner (water free).</li><li>- It has been formulated with natural waxes that protect the paints from atmospheric agents like dust, ultraviolet light, water, etc.</li><li>- It is ideal for cleaning metallic colors.</li><li>- 100% biodegradable.</li></ul>                | Ref.   | Format      |
|                                                                                     | <b>AG 2256 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                                      | 12226  | 12 x 750 ml |
|                                                                                     |  |                                                                                                                                                                                                                                                                                                                                                      | 12227  | 4 x 5 L     |
|  | <b>INSECT REMOVER</b>                                                               | <ul style="list-style-type: none"><li>- Energetic insect cleaner on: front, bumpers, rear-view mirrors, windshields, etc.</li><li>- The remains of insects are quickly softened and dissolved facilitating their subsequent cleaning with pressurized water.</li><li>- 100% biodegradable.</li></ul>                                                 | Ref.   | Format      |
|                                                                                     | <b>AG 2257 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                                      | 12239  | 12 x 750 ml |
|                                                                                     |  |                                                                                                                                                                                                                                                                                                                                                      | 12240  | 4 x 5 L     |
|  | <b>CONCENTRATED GLASS CLEANER + WATER REPELLENT</b>                                 | <ul style="list-style-type: none"><li>- Glass cleaner with very high cleaning power and rapid evaporation.</li><li>- Excellent hydrophobic power as a repellent for rainwater.</li><li>- Formulated with latest-generation natural resins and waxes.</li><li>- Improves visibility and safety while driving.</li><li>- Pleasantly scented.</li></ul> | Ref.   | Format      |
|                                                                                     | <b>AG 2258 G</b>                                                                    |                                                                                                                                                                                                                                                                                                                                                      | 12279  | 12 x 750 ml |
|                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                                      | 12280  | 4 x 5 L     |

## SPECIAL TREATMENTS

|                                                                                     | NAME                                                                                | DESCRIPTION                                                                                                                                                                                                                                                                                                                                         | FORMAT         |                        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------|
|    | <b>ODOR DESTROYER AND NEUTRALIZER</b>                                               | <ul style="list-style-type: none"> <li>- 100% organic concentrated odor eliminator and neutralize (bacterium + spores + enzymes)</li> <li>- Does not stain on any surface.</li> <li>- Eliminates bad odors from: Interior of vehicles and homes, pets, textiles and footwear, tobacco, toilets, drains...</li> <li>- 100% biodegradable.</li> </ul> | Ref.           | Format                 |
|                                                                                     | AG 2403 G                                                                           |                                                                                                                                                                                                                                                                                                                                                     | 12285          | 24 x 200 ml            |
|                                                                                     |    |                                                                                                                                                                                                                                                                                                                                                     |                |                        |
|    | <b>QUICK LIQUID WAX</b>                                                             | <ul style="list-style-type: none"> <li>- High performance fast wax for protection and polishing.</li> <li>- Compatible with all types of vehicle bodywork paints.</li> <li>- Super protection against atmospheric agents.</li> <li>- Intense and long-lasting shine.</li> <li>- Very high biodegradability</li> </ul>                               | Ref.           | Format                 |
|                                                                                     | AG 2249 G                                                                           |                                                                                                                                                                                                                                                                                                                                                     | 12279<br>12280 | 12 x 750 ml<br>4 x 5 L |
|                                                                                     |   |                                                                                                                                                                                                                                                                                                                                                     |                |                        |
|  | <b>AUTO POLISHER</b>                                                                | <ul style="list-style-type: none"> <li>- Special paste for polishing and brightening all types of chrome and metallic.</li> <li>- It is ideal for removing marks and small scratches in metallic paint.</li> <li>- It is neutral and biodegradable product.</li> </ul>                                                                              | Ref.           | Format                 |
|                                                                                     | AG 2300 G                                                                           |                                                                                                                                                                                                                                                                                                                                                     | 12229          | 24 x 200 ml            |
|                                                                                     |  |                                                                                                                                                                                                                                                                                                                                                     |                |                        |
|  | <b>PLASTIC RESTORER</b>                                                             | <ul style="list-style-type: none"> <li>- Instant renovator of rubbers and plastics that have been damaged by the sun.</li> <li>- Optimum results are obtained in all types of bumpers, rear-view mirrors and plastic trim of vehicles and motorcycles.</li> <li>- It offers long protection and durability.</li> </ul>                              | Ref.           | Format                 |
|                                                                                     | AG 2302 G                                                                           |                                                                                                                                                                                                                                                                                                                                                     | 12242          | 24 x 200 ml            |
|                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                                     |                |                        |
|  | <b>RAINWATER REPELLENT</b>                                                          | <ul style="list-style-type: none"> <li>- Concentrated rainwater repellent.</li> <li>- It improves visibility while driving in heavy rain.</li> </ul>                                                                                                                                                                                                | Ref.           | Format                 |
|                                                                                     | AG 2304 G                                                                           |                                                                                                                                                                                                                                                                                                                                                     | 12302A         | 20 x 50 ml             |

# SKIN AND LEATHER




## LEATHER CLEANER

AG 2350 G



- Professional high performance cleaner for leather upholstery.
- Its detergent power dissolves and removes dirt without damaging or drying the leather.
- After cleaning apply our AG 2351 G nutrient and protector.
- 100% biodegradable.

| Ref.  | Format      |
|-------|-------------|
| 12231 | 24 x 200 ml |



## LEATHER PROTECTOR

AG 2351 G





- High quality moisturizing and nourishing for leather.
- It prevents aging, giving the treated parts their natural shine.
- It is composed of natural waxes.
- 100% biodegradable.

| Ref.  | Format      |
|-------|-------------|
| 12232 | 24 x 200 ml |





|                                                                                      | NAME                              | DESCRIPTION                                                                                                                                                                                                                                                   | FORMAT |             |
|--------------------------------------------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|     | <b>CONCENTRATED AIR FRESHENER</b> | <ul style="list-style-type: none"><li>- Long-lasting concentrated air freshener for cars and enclosed spaces.</li><li>- It has been made with 100% natural essences.</li><li>- It has a sweet and enveloping aroma.</li><li>- 100% biodegradable.</li></ul>   | Ref.   | Format      |
|                                                                                      | <b>ZEUS</b><br>AG 2400 G          |                                                                                                                                                                                                                                                               | 12233  | 24 x 200 ml |
|     |                                   |                                                                                                                                                                                                                                                               |        |             |
|    | <b>CONCENTRATED AIR FRESHENER</b> | <ul style="list-style-type: none"><li>- Long-lasting concentrated air freshener for cars and enclosed spaces.</li><li>- It has been made with 100% natural essences</li><li>- It has fresh aroma with fruity touches.</li><li>- 100% biodegradable.</li></ul> | Ref.   | Format      |
|                                                                                      | <b>AFRODITA</b><br>AG 2401 G      |                                                                                                                                                                                                                                                               | 12234  | 24 x 200 ml |
|    |                                   |                                                                                                                                                                                                                                                               |        |             |
|   | <b>CONCENTRATED AIR FRESHENER</b> | <ul style="list-style-type: none"><li>- Long-lasting concentrated air freshener for cars and enclosed spaces.</li><li>- It has been made with 100% natural essences.</li><li>- It has a nice aroma to new car.</li><li>- 100% biodegradable.</li></ul>        | Ref.   | Format      |
|                                                                                      | <b>OLIMPUS</b><br>AG 2402 G       |                                                                                                                                                                                                                                                               | 12235  | 24 x 200 ml |
|   |                                   |                                                                                                                                                                                                                                                               |        |             |
|  |                                   |                                                                                                                                                                                                                                                               |        |             |

## TECHNICAL AEROSOLS

|                                                                                     | NAME                           | DESCRIPTION                                                                                                                                                                                                                           | FORMAT |             |
|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|    | <b>HEADLIGHT RESTORER</b>      | <ul style="list-style-type: none"> <li>- Repair and restorative spray of headlights and polycarbonates that have been damaged by atmospheric agents.</li> <li>- High gloss and fast drying.</li> <li>- It does not yellow.</li> </ul> | Ref.   | Format      |
|                                                                                     | <b>AG 2303 S</b>               |                                                                                                                                                                                                                                       | 12210  | 12 x 400 ml |
|   | <b>UPHOLSTERY CLEANER FOAM</b> | <ul style="list-style-type: none"> <li>- Spray foam cleaner for upholstery.</li> <li>- It cleans deeply all types of upholstery (fabric, vinyl, leather, etc.)</li> <li>- It is pleasantly scented.</li> </ul>                        | Ref.   | Format      |
|                                                                                     | <b>AG 2259 S</b>               |                                                                                                                                                                                                                                       | 12062  | 12 x 400 ml |
|  | <b>SPRAY CAR POLISHER</b>      | <ul style="list-style-type: none"> <li>- Spray for polishing all types of surfaces: chromed, stainless, metallic paints, etc.</li> <li>- It returns the original brightness.</li> <li>- It does not damage the paint.</li> </ul>      | Ref.   | Format      |
|                                                                                     | <b>AG 2300 S</b>               |                                                                                                                                                                                                                                       | 12065  | 12 x 400 ml |
|  | <b>DASHBOARD SPRAY</b>         | <ul style="list-style-type: none"> <li>- Dashboard cleaner spray and all types of plastic surface.</li> <li>- Silicone free.</li> <li>- It is pleasantly scented.</li> </ul>                                                          | Ref.   | Format      |
|                                                                                     | <b>AG 2252 S</b>               |                                                                                                                                                                                                                                       | 12061  | 12 x 400 ml |

## TECHNICAL AEROSOLS

| NAME                                                                                |                                                          | DESCRIPTION                                                                                                                                                                                                                                                                                                                  | FORMAT |             |
|-------------------------------------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|
|    | <b>MULTIPURPOSE<br/>CONCENTRATED<br/>DEGREASER</b>       | <ul style="list-style-type: none"><li>- High performance concentrated degreasing spray.</li><li>- It dissolves all types of oils and greases.</li><li>- It has high wetting power.</li><li>- It does not damage plastics or rubber.</li><li>- It is ideal for all types of tools and metal surfaces in automotive.</li></ul> | Ref.   | Format      |
|                                                                                     | <b>AG 2263 S</b>                                         |                                                                                                                                                                                                                                                                                                                              | 12057  | 12 x 500 ml |
|   | <b>ELECTRICAL<br/>AND ELECTRONIC<br/>CONTACT CLEANER</b> | <ul style="list-style-type: none"><li>- Professional cleaning spray for electrical and electronic contacts.</li><li>- Quick drying free of residues.</li><li>- It does not damage plastics or rubber.</li><li>- It has great penetration power.</li><li>- It cleans and degreases all type of dirt.</li></ul>                | Ref.   | Format      |
|                                                                                     | <b>AG 2261 S</b>                                         |                                                                                                                                                                                                                                                                                                                              | 12058  | 12 x 500 ml |
|  | <b>BRAKE<br/>CLEANER</b>                                 | <ul style="list-style-type: none"><li>- Excellent spray degreasing cleaner for brake discs.</li><li>- Fast and total evaporation, free of residues.</li><li>- Multi-purpose degreaser in automotive.</li></ul>                                                                                                               | Ref.   | Format      |
|                                                                                     | <b>AG 2264 S</b>                                         |                                                                                                                                                                                                                                                                                                                              | 12059  | 12 x 500 ml |
|  | <b>CONCENTRATED<br/>CAR BODY<br/>CLEANER</b>             | <ul style="list-style-type: none"><li>- High performance cleaning spray to removing tar debris, breasts and asphalt from the car body.</li><li>- It has great degreasing power.</li><li>- It is easily rinsed with water.</li></ul>                                                                                          | Ref.   | Format      |
|                                                                                     | <b>AG 2269 S</b>                                         |                                                                                                                                                                                                                                                                                                                              | 12063  | 12 x 400 ml |

# AUTOGAR

*Spirit of evolution.*

ADDITIVES, TREATMENTS, CARE AND CLEANING

[www.alvagargrupo.com](http://www.alvagargrupo.com)



**CARS**  
**TURISMOS**



**BIKE**  
**MOTO**



**TRUCKS**  
**VEHÍCULOS INDUSTRIALES**



**BOATS**  
**NAÚTICA**



**AGRYMARCH**  
**MAQUINARIA AGRÍCOLA**



**WORKS MACHINERY**  
**MAQUINARIA DE OBRAS**



**ALVAGAR**  
**GRUPO**

**GRUPO ALVAGAR**

Avda. Castilla La Mancha, Nave 1

12200 Onda - Castellón (España)

[alvagar@alvagargrupo.com](mailto:alvagar@alvagargrupo.com)

Tel. 964 772 069

AUTHORIZED OFFICIAL DISTRIBUTOR:

**FOLLOW US:**

